



Logo Usage Guidelines

Table of Contents

Color palette 01

Primary auxiliary colors 03

Secondary auxiliary colors 04

Logo spacing 10

Monogram spacing 11

Kron Technologies logo..... 12

Kron logo colors over dark and light backgrounds 13

Kron logo colors over reversed and colored backgrounds 14



Color palette

Our primary color is electric blue.
Black complements this as a secondary color.
Black should be used mostly as a background for text and sometimes for items like small icons.
Where versatility needs to be added, for example pages in a catalog or to differentiate parts of a website, energetic yellow should be used as the third color.

Kron Electric Blue

Web / Digital

RGB



R: 21
G: 99
B: 255

#1563FF
Pantone 2727 C


Printed Media / Magazine / Catalogue

CMYK




C: 85
M: 58
Y: 0
K: 0

#2D6CB5
Pantone 104-7 C




Black
#000000

R: 0 C: 100
G: 0 M: 100
B: 0 Y: 100
 K: 100



White
#FFFFFF

R: 255 C: 0
G: 255 M: 0
B: 255 Y: 0
 K: 0



Energetic Yellow
#E2E735

R: 226 C: 16
G: 231 M: 0
B: 53 Y: 90
 K: 0

Pantone 387 C




Primary Auxiliary Colors


Primary auxiliary colors, prepared to enrich the use of primary colors, reflect the technological spirit of the Kron Technologies brand, while allowing creativity and innovation in designs depending on the application area.




Sky Blue
#73A1FF




Gray
#666666




Dark Gray
#333333



Light Gray
#999999



Light Yellow
#F3F5AE



Shadow Blue
#1C2B9D



Secondary Auxiliary Colors

Secondary auxiliary colors, which are designed to be used in areas where the application of primary auxiliary colors is limited, reflects Kron Technologies’ dynamic and solution-oriented approach.



Secondary Auxiliary Colors


Secondary auxiliary colors, which are designed to be used in areas where the application of primary auxiliary colors is limited, reflects Kron Technologies’ dynamic and solution-oriented approach.

 #2C75FF	 #2767E1	 #035196
 (CMYK only) #2D6CB5	 #536778	 #111E2F




Secondary Auxiliary Colors

Secondary auxiliary colors, which are designed to be used in areas where the application of primary auxiliary colors is limited, reflects Kron Technologies' dynamic and solution-oriented approach.





Secondary Auxiliary Colors

Secondary auxiliary colors, which are designed to be used in areas where the application of primary auxiliary colors is limited, reflects Kron Technologies’ dynamic and solution-oriented approach.







Secondary Auxiliary Colors

Secondary auxiliary colors, which are designed to be used in areas where the application of primary auxiliary colors is limited, reflects Kron Technologies’ dynamic and solution-oriented approach.




Secondary Auxiliary Colors

Secondary auxiliary colors, which are designed to be used in areas where the application of primary auxiliary colors is limited, reflects Kron Technologies’ dynamic and solution-oriented approach.




Logo spacing

The safety area around the logo should be protected when Kron Technologies logo used in a page layout, banners, websites and in various application areas.
The short edge of the letter “n” of the Kron logo should always be used as 1x unit.



Monogram spacing

The safety area around the monogram should be protected when Kron monogram used in a page layout, banners, websites and in various application areas.
The short edge of the letter “n” of the Kron logo should always be used as 1x unit.



Kron Technologies logo



Kron Technologies logo colors over dark and light backgrounds

Positive and negative versions of Kron Technologies logo should be used in very limited special cases. These logos are not an alternative for brand communication activities. This should only be preferred when there is a restrictive situation to print from the printer or if it is used side by side with other brand logos where logos applied in positive and negative as a whole.



Kron Technologies logo colors over reversed and colored backgrounds

The use on colored ground should be used at the specified rates. It should be preferred to use on 50% white and electric blue background, 25% on black and energetic yellow background.



50%



50%



25%



25%





Please contact us for any questions you may have about the use of Kron Technologies corporate colors and logos.

+90 212 286 51 22
marcom@kron.com.tr